

1. Invitation to Tender

Tender Name: Construction of Sanitation Facilities at Dumne of Adamawa State	Tender No: NIG_YOL_TEN15				
Location: Adamawa, Nigeria	Correspondence Language(s): English				

Brief Summary Description of Project:

The Small-Town Water, Sanitation, and Hygiene (STWASH) Activity is a five-year, initiative funded by the United States Agency for International Development (USAID), covering the states of Adamawa, Yobe, and Borno in North East Nigeria. The Activity is to support the sustainable improvements in access to basic water and sanitation that are necessary to facilitate ongoing recovery, peacebuilding, and economic development across the region.

The goal of the program is to facilitate the economic recovery of some crisis-affected communities and bolster the capacity of the state governments in providing essential WASH services and creating and sustaining enabling environments for Small Towns Water Supply and Sanitation Agencies (STWSSAs) and Water Consumers Associations (WCAs) to operate effectively. The program has two broad components; expanded access to water and for sanitation facilities and strengthening capacity for small town water governance.

Tender Package Available from: (30 th / September / 2021)	Tender Package Pickup Location: Tenders are available to download from: https://www.mcnigeria.com/tenders
Deadline for Offer Submission:	Submit Offers to:
(15 th / October / 2021; 5:00pm)	Proposal Subject: "NIG/YOL/TEN15: Construction of Sanitation
	Facilities at Dumne, Song LGA of Adamawa State
	at Mercy Corps Office, No 10A, Suntai Road, Karewa extension, Jimeta
	Yola, Adamawa state.
	For e-submissions email offer to: tenders@mercycorps.org

Mercy Corps reserves the right to accept or reject any late offers

Tender No: NIG_YOL_TEN15 Page 1 of 44



Questions and Answers (Q&A)						
If any, Submit Questions in writing to: <u>qa-ng-tenders@mercycorps.org</u>						
Last Day for Questions: Questions will be answered by:						
(7 th / October / 2021; 12:00 noon) (8 th / October / 2021; 12:00 noon) Questions will be answered through: qa-ng-tenders@mercycorps.org						

Documentation Checklist							
These documents are contained within this	√	Invitation to Tender					
tender package:	\checkmark	General Conditions for Tender					
	\checkmark	Criteria and Submittals					
	\checkmark	Price Offer Sheet					
	\checkmark	Supplier Information Form					
	\checkmark	Scope of Work/Technical Specifications/BoQ					
	\checkmark	Sample Contract					

2. General Conditions for Tender

Mercy Corps invites offers for the goods, services and/or works described and summarized in these documents, and in accordance with procedures, conditions and contract terms presented herein. Mercy Corps reserves the right to vary the quantity of work/materials specified in the Tender Package without any changes in unit price or other terms and conditions and to accept or reject any, all, or part of submitted offers.

2.1 Mercy Corps' Anti-Bribery and Anti-Corruption Statement

Mercy Corps strictly prohibits:

• Any form of bribe or kickback in relation to its activities

This prohibition includes any *request* from any Mercy Corps employee, consultant or agent for anything of value from any company or individual in exchange for the employee, consultant or agents taking or not taking any action related to the award of a contract or the contract once

Tender No: NIG_YOL_TEN15 Page 2 of 44



awarded. It also applies to any *offer* from any company or individual to provide anything of value to any Mercy Corps employee, consultant or agent in exchange for that person taking or not taking any action related to the award of the contract or the contract.

• Conflicts of interests in the awarding or management of contracts

If a company is owned by, whether directly or indirectly, in whole or in part, any Mercy Corps employee or any person who is related to a Mercy Corps employee, the company must ensure that it and the employee disclose the relationship as part of or prior to submitting the offer.

• The sharing or obtaining of confidential information

Mercy Corps prohibits its employees from sharing, and any offerors from obtaining, confidential information related to this solicitation, including information regarding Mercy Corps' price estimates, competing offerors or competing offers, etc. Any information provided to one offeror must be provided to all other offerors.

• Collusion between/among offerors

Mercy Corps requires fair and open competition for this solicitation. No two (or more) companies submitting bids can be owned or controlled by the same individual(s). Companies submitting offers cannot share prices or other offer information or take any other action intended to pre-determine which company will win the solicitation and what price will be paid.

• Any form of exploitation, abuse, human trafficking or internal sexual misconduct

Mercy Corps requires its partners to adhere to its Safeguarding policies including the its policies on Child Safeguarding, Prevention of Sexual Exploitation and Abuse of Beneficiaries and Community Members, Anti-Trafficking and Sexual Misconduct (available at https://www.mercycorps.org/who-we-are/ethics-policies). Companies will be expected to ensure that they have the capacity to abide by these policies, that their employees and subcontractors understand these policies, and that they communicate to its employees and subcontractors the duty to report any violation or suspected violation. Mercy Corps will not engage with a company that is found to be in violation of these policies.

Violations of these prohibitions, along with all evidence of such violations, should be reported to:

http://mercycorps.org/integrityhotline

Tender No: NIG_YOL_TEN15 Page 3 of 44



Mercy Corps will investigate allegations fully and will take appropriate action. Any company, or individual that participates in any of the above prohibited conduct, will have its actions reported to the appropriate authorities, will be investigated fully, will have its offer rejected and/or contract terminated, and will not be eligible for future contracts with Mercy Corps. Employees participating in such conduct will have his/her employment terminated.

Violations will also be reported to Mercy Corps' donors, who may also choose to investigate and debar or suspend companies and their owners from receiving any contract that is funded in part by the donor, whether the contract is with Mercy Corps or any other entity.

2.2 Tender Basis:

- All offers shall be made in accordance with these instructions, and all documents requested should be furnished, including any required (but not limited to) supplier-specific information, technical specifications, drawings, bill of quantities, and/or delivery schedule. If any requested document is not furnished, a reason should be given for its omission in an exception sheet.
- No respondent should add, omit or change any item, term or condition herein.
- If suppliers have any additional requests and conditions, these shall be stipulated in an exception sheet.
- Each offeror may make one response only.
- Each offer shall be valid for the period of [180 days] from its date of submission.
- All offers should indicate whether they include taxes, compulsory payments, levies and/or duties, including VAT, if applicable.
- Suppliers should ensure that financial offers are devoid of calculation errors. If errors are
 identified during the evaluation process, the unit price will prevail. If there is ambiguity on the
 unit price, the Selection Committee may decide to disqualify the offer.
- Any requests for clarifications regarding the project that are not addressed in written documents must be presented to Mercy Corps in writing. The answer to any question raised in writing by any offeror will be issued to that offeror. In some cases Mercy Corps may choose to issue clarifications to all offerors. It is a condition of this tender that no clarification shall be deemed to supersede, contradict, add to or detract from the conditions hereof, unless made in writing as an Addendum to Tender and signed by Mercy Corps or its designated representative.
- This Tender does not obligate Mercy Corps to execute a contract nor does it commit Mercy Corps to pay any costs incurred in the preparation and submission of bids. Furthermore, Mercy Corps reserves the right to reject any and all offers, if such action is considered to be in the best

Tender No: NIG_YOL_TEN15 Page 4 of 44



interest of Mercy Corps.

2.3 Supplier Eligibility

Suppliers may not apply, and will be rejected as ineligible, if they:

- Are not registered companies
- Are bankrupt or in the process of going bankrupt
- Have been convicted of illegal/corrupt activities, and/or unprofessional conduct
- Have been guilty of grave professional misconduct
- Have not fulfilled obligations related to payment of social security and taxes
- Are guilty of serious misinterpretation in supplying information
- Are in violation of the policies outlined in Mercy Corps Anti Bribery or Anti-Corruption Statement
- Supplier (or supplier's principals) are on any list of sanctioned parties issued by; or are
 presently excluded or disqualified from participation in this transaction by: the United States
 Government or United Nations by the United States Government, the United Kingdom, the
 European Union, the United Nations, other national governments, or public international
 organizations.

Additional eligibility criteria, if applicable, are stated in section 3.2 of this tender package.

2.4 Response Documents

Offerors must submit an offer in their own format and ensure it contains all the required documents and information specified in this tender. Where an itemized Price Offer Sheet is included in the tender package, the offeror must complete and submit it with the rest of their offer.

2.5 Acceptance of Successful Response

Documentation submitted by offerors will be verified by Mercy Corps. The winning offeror will be required to sign a contract for the stated, agreed upon amount.

2.6 Certification Regarding Terrorism

It is Mercy Corps' policy to comply with humanitarian principles and the laws and regulations of the United States, the European Union, the United Nations, the United Kingdom, host nations, and other applicable donors concerning transactions with or support to individuals or entities that have engaged in fraud, waste, abuse, human trafficking, corruption, or terrorist activity. These laws and regulations prohibit Mercy Corps from transacting with or providing support to any individuals or entities that are the subject of government sanctions, donor rules, or laws prohibiting transactions or support to such parties.

Tender No: NIG_YOL_TEN15 Page 5 of 44



3. Criteria & Submittals

3.1 Contract Terms

Mercy Corps intends to issue a Fixed Price contract to one or several company(ies) or organization(s). The successful offeror(s) shall be required to adhere to the statement of work and terms and conditions of the resulting contract. The anticipated contract is incorporated in Section 6 herein. By submitting an offer, offerors certify that they understand and agree to all of the terms and clauses contained in Section 6.

3.2 Specific Eligibility Criteria

Eligibility criteria must be met and the corresponding supporting documents listed below under "Tender Submittals" <u>must</u> be submitted with offers. Offerors who do not submit these documents may be <u>disqualified</u> from any further technical or financial evaluation.

Eligibility Criteria:

- A copy of business registration document (CAC)
- A copy of tax certificate and/or Tax Clearance
- A copy of signed and stamped offer sheet

3.3 Tender Submittals

Documents and required information listed in tender submittals are necessary in order to support the eligibility criteria and to conduct technical evaluations of received offers (and due diligence). While absence of these documents and/or information does not denote mandatory disqualification of suppliers, the lack of these items has the potential to impact the technical evaluation of an offer severely and negatively.

Documents supporting the Eligibility Criteria:

- 1. A copy of business registration document (CAC)
- 2. A copy of tax certificate and/or Tax Clearance
- 3. A copy of signed and stamped offer sheet

Documents to conduct the Technical Evaluation and additional Due Diligence:

- Provide Organizational Profile, showing <u>relevant</u> experience in construction since inception of business operations.
- Verifiable evidence of relevant projects successfully executed which include letter of award, copy of contract for similar works delivered (letter of award, contract documents, Purchase Orders, certificate of completion etc..) not more than 5 years
- Completion time of the project with detailed work plan.

Tender No: NIG_YOL_TEN15 Page 6 of 44



- Financial capacity to carry out the contract if successfully selected
- Letter stating acceptance of Mercy Corps payment terms of 100% payment after completion of project.
- Verifiable evidence of experience and relevant qualification of key personnel

Price Offer:

The Price offer is used to determine which offer represents the best value and serves as a basis of negotiation before award of a contract. As a Fixed-Price contract, the price of the contract to be awarded will be an all-inclusive fixed price basis, either in the form of a total fixed price or a per-unit/deliverable fixed price. No profit, fees, taxes, or additional costs can be added after contract signing. Offerors must show unit prices, quantities, and total price, as displayed in the Offer Sheet in Section 4. All items must be clearly labeled and included in the total offered price.

Offerors must not include VAT and customs duties (if applicable) in their offer.

3.4	Currency	
Offers	should be submitted in	_NGN
Paymer	nts will be made in:	NGN

3.5 Tender Evaluation (LPTA Selection Method)

Based on the above submittals, a Mercy Corps Tender Committee will conduct a tender evaluation process. Mercy Corps reserves the right to accept or reject any or all bids, and to accept the offer(s) deemed to be in the best interest of Mercy Corps. MC will not be responsible for or pay for any expenses or losses which may be incurred by any Offeror in the preparation of their tender.

Evaluations will be conducted as described in the following subsections:

3.5.1 Technical Evaluation

Lowest Price, Technically Acceptable (LPTA)

Mercy Corps Tender Committee will conduct a technical evaluation which will grade technical criteria on a pass/fail basis. Supplier's bids <u>must meet the minimum technical standard</u> established here in order to receive a passing mark. Any offerors who receive a failing mark on any criteria will be automatically disqualified from the tender process.

Only offerors who pass all criteria will move on to the next round of evaluation.

Pass/fail technical criteria are as follows:

Tender No: NIG_YOL_TEN15 Page 7 of 44



Technical Criteria	Pass or Fail?
Provide Organizational Profile, showing <u>relevant</u> experience in construction since	
inception of business operations.	
Evidence of relevant projects successfully executed similar works (letter of award,	
contract documents, Purchase Orders, certificate of completion etc) not more than 5	
years	
Completion time of the project with detailed work plan.	
Evidence of financial capacity/banking support to execute the contract if successfully	
selected	
CV's and qualification of key personnel	
Letter stating acceptance of Mercy Corps payment terms of 100% payment after	
completion of project.	

3.5.2 Financial Evaluation and Price/Cost Analysis

All suppliers who passed all technical criteria will move on to the financial evaluation where the lowest price offer(s) will be accepted as the winning offeror(s) assuming the price is deemed fair and reasonable and subject to the additional due diligence in section 3.5.3.

3.5.3 Additional Due Diligence

Upon completion of both the technical and financial evaluations Mercy Corps may choose to engage in additional due diligence processes with a particular offeror or offeror(s). The purpose of these processes is to ensure that Mercy Corps engages with reputable, ethical, responsible Suppliers with solid financials and the ability to fulfill the contract. Additional due diligence may take the form of the following processes (though it is not limited to):

- Reference Checks
- Site Visit if agreed by voting member
- RPS on Demand

4. Offer Form

Offerors must submit their own independent offer including at least (but not limited to):

- All documents requested in the "Eligibility Criteria" section of this Tender Package
- All documents requested in the "Tender Submittals" section of this Tender Package

Tender No: NIG_YOL_TEN15 Page 8 of 44



All information listed in the "Documents Comprising the Bid" section below

All offers must be duly signed (including position and full name of the signer) and stamped, with the date of completion.

Documents Comprising the Bid

[Mercy Corps Procurement department to adjust content based on country context and nature of procurement]

The following information must be included in the offer of any potential offeror:

	Cover	Letter explaining interest to be a contracted vendor or supplier. The content of the
	cover le	etter shall include the following information:
		A detailed specification of the offered goods, services and/or works
		Warranty (if necessary and appropriate)
		Delivery time
		Price validity date (for this purpose and as stated on the advertisement, quote given
		shall remain unchanged for 180 working days)
	A Price	Offer detailing the unit price only using the Price Offer Sheet template provided in
	section	7
	Comple	eted and signed Mercy Corps Supplier Information Form (template provided in
	section	<mark>7</mark>)
	Other in	mportant documents offeror feels need to be attached to support their bid
The ori	ginal bio	shall be signed by the offeror or a person or persons duly authorized to bind the offeror
to the o	contract.	Financial offer pages of the bid shall be initialed by the person or persons signing the
bid and	l stampe	d with the company seal.
Any in	terlineati	ons, erasures, or overwriting shall be valid only if they are initialed by the person or
persons	s signing	the bid.

5. Scope of Work/Technical Specifications

5.1 Background

The Small-Town Water, Sanitation, and Hygiene (STWASH) Activity is a five-year, initiative funded by the United States Agency for International Development (USAID), covering the states of Adamawa, Yobe, and Borno in North East Nigeria. The Activity is to support the sustainable improvements in

Tender No: NIG_YOL_TEN15 Page 9 of 44



access to basic water and sanitation that are necessary to facilitate ongoing recovery, peacebuilding, and economic development across the region.

The goal of the program is to facilitate the economic recovery of some crisis-affected communities and bolster the capacity of the state governments in providing essential WASH services and creating and sustaining enabling environments for Small Towns Water Supply and Sanitation Agencies (STWSSAs) and Water Consumers Associations (WCAs) to operate effectively.

The program has two broad components; expanded access to water and for sanitation facilities and strengthening capacity for small town water governance.

5.2 Bill of Quantities

	BILL OF QUANTITIES FOR SA	NITATIO	N FACII	ITIFC	
(6N	Nos COMPARTMENT POUR FLUSH LATRI				DUMNE1
ITEM	DESCRIPTION	QTY	UNIT	RATE	TOTAL
	PRELIMINARIES AND GENERAL ITEMS				
A	Intersite Mobilisation and Demobilisation of equipment and personnel SUBSTRUCTURE		LS		
A	Clearing of Site	35.00	m^2		
В	Excavate trenches, 525mm width and 600mm depth to receive foundations starting from the strip level	8.00	m^3		
С	Provide approved antitermite teatment to surfaces of excavation	35.00	m^2		
	CONCRETE WORKS				
A	Strip footing (Plain insitu concrete 1:2:4 mix)	1.00	m^3		
В	Floor slab 150mm thick (Plain in situ concrete 1:2:4 mix, 20mm aggr.)	1.43	m^3		
С	100mm thick slab on corridor (Plain in situ concrete mix (1:2:4 mix, 20mm aggr.)	0.80	m^3		
D	Formwork (Ditto edges of bed not exceeding 150mm high)	17.50	m ²		
	Blockwork				
A	225mm thick sandcrete hollow block fillled with solid weak concrete in foundation Substructure works carried to summary	10.55	m ²		
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SUPERSTRUCTURE	~			
	Concrete Works				

Tender No: NIG_YOL_TEN15 Page 10 of 44



	D :1 250 50 4:1 : :4		1	1	T
A	Provide 250mmx50mm thick coping with				
	spikes on top of all exposed walls as				
	approved by the engineer	0.07	m ³		
	External and Internal Wall				
A	Blockwork 150mm sandcrete block laid in				
	cement and sand (1:4) to wall plate including				
	urinal partitions	34.00	m^2		
	Roofing /Carpentary				
	0.45mm thick long span aluminium roofing				
	sheet laid at 150mm and double nailed to				
	purlin (measured separately)				
A	Roofing (complete with all accessories)	7.20	m ²		
	(Solignum or any other approved treatment	7.20			
	solution impregnated swan hardwoood as				
	described)				
В	50 X 75mm Rafters	6.00	m		
С	50 X 50mm Purlins	14.00	m		
D	50 X 100mm wall plate	7.20	m		
Е	225 x 25mm wrought fascia covered with flat				
	pan	11.00	m		
	Doors, Drainage and Plumbing				
Α	Supply and fix purpose made 750mm x				
	1900mm metal door made with 2mm thick				
	steel plate framed with 25mm x 50mm steel				
	pipes painted and installed complete with				
	steel frames, padlocks and keys as in				
	indicated in the drawings	4.00	N		
D	-	4.00	No		
В	Supply and fix purpose made 800mm x 1900mm metal door made with 2mm thick				
	steel plate framed with 25mm x 50mm steel pipes painted and installed complete with				
	steel frames, padlocks and keys as in				
	indicated in the drawings				
		4.00	No		
C	Supply and fix purpose made single 900mm x				
	1600mm see through door made with 25mm				
	x 50mm (2mm gauge) steel pipes and grilled				
	with 25mm square steel pipes as in the				
	drawings on the entrance to the facility				
	painted and installed complete with steel				
	frames, padlocks and keys.				
		2.00	No		
D	Provide and Install inspection chmabers (2-				
	600mm x 600mm and 1-750mm x 750mm)				
	with precast reinforced concrete cover 75mm				
	thick for each of the compactment	4.00	No		
		i		1	1

Tender No: NIG_YOL_TEN15



Е	Provide and Install 1250mm x 900mm chambers with precast reinforced concrete cover 75mm thick for septic tank alternating				
		1.00	No		
F	Provide and Install 2400mm long 100mm diameter PVC vent pipe complete with all accessories on all inspection chambers	4.00	No		
G	Provide approved squat pan completely fixed and connected to drain	4.00	No		
	Sub Total Superstructure Works				
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	b/f				
Н	Provide and install completely approved wash hand basin embedded in block work and 1 water tap in front as indicated in the drawing	2.00	No		
I	Allow for the provison of purpose made concrete drain finished with vitrified tiles and partitioned at intervals as urinal, running from under the washing to the soak pit as indicated in the drawing	2.00	No		
	Physically Challenged Aids	2.00	1,0		
A	Provide and install aproved WC for				
	physically challenged as in the drawing	2.00	No		
В	Provide and install 25mm GI pipe as hand support rails cast monolithically with the floors slab, braced and supported as				
	indivcated the drawing.	4.00	No		
С	Provide 1:5 sloping ramp on the main entrance to the facility and on the entrance to the physically challenged compartment (6No)	0.81	m ³		
	Floor and Wall finishing				
A	300x300x9mm thick white colour floor tiles laid in cement and sand screeded bed (1:4)	4.20	m^2		
В	12mm in situ finishing in cement and sand internal and external wall rendering for walls				
		70.00	m2		
С	Fixing of Sanitary tiles (white colour) 250mm x400mm on toilet walls (1200mm from the floor)	14.00	m2		
D	Supply and fix approved white colour vitrified tiles on urinal walls and partitions				
	(up to 150mm top of parttion wall)	6.50	m2		
	Painting				

Tender No: NIG_YOL_TEN15 Page 12 of 44



			1		
A	Prepare and supply emulsion paint (colour to				
	be approved by the Engineer) on all internall				
	walls	20.00	m2		
В	Sandblasting (on all externall walls leaving				
	out the areas for art work) as specified in the				
	or directed by the Engineer	24.00	m2		
С	Metal burglary door and other metal work (3				
	coats anti-rust finished with approved color				
	as directed by Engineer		LS		
D	Art work		LS		
	Accessories				
A	Provision of bucket for the toilet (minimum of 7 litres)	6.00	No		
В	Provision of Kettle for the toilet	6.00	No		
В	Superstructure works carried to summary	0.00	NO		
	Supersulatione works currica to summary				
TOTAL	DESCRIPTION				
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	DOUBLE VAULT SEPTIC TANK				
	(Overall dimension 4950mm x 3675mm				
	x2050mm)				
A	Exacavtion of pit size 5400mmx 4125mm x 1825mm	41.00			
- D		41.00	m3		
В	100mm Plain in situ concrete mix (1:2:4 mix,				
	13mm aggr.) on tank base	4.10	m3		
С	100mm apron base Plain in situ concrete mix				
	(1:2:4 mix, 13mm aggr.) on tank base	0.09	m3		
D	225mm thick partition wall (reinforced in situ				
	concrete 1:2:4 mix 19mm aggregate and				
	necessary formwork	2.20	m3		
E	100mm thick cover slab (reinforced in situ				
	concrete 1:2:4 mix, 19mm aggregate and				
	necessary formwork)	2.70	m3		
F	6Nos 600mm x600m x100mm manhole slab				
	(reinforced precast concrete 1:2:4 mix, 19mm				
	aggregate and necessary formwork)				
		0.25	m3		
G	225mm sandcrete solid block filled with				
	weak concrete in tank walls including				
	partitions built in cement mortar (1:4)	35.20	m2		
Н	25mm thick cement and sand (1:4) render on				
	block walls	35.20	m2		
I	Plumbing works including all accessories as	33.20	1112		
•	detailed in the drawing		LS		
J	Backfill pebbles/broken blocks around and		LO		
J	inside the pit	30.00	m ²		
	more the pit	30.00	m3		

Tender No: NIG_YOL_TEN15 Pag



K	225mm thick hollow sancrete block with			
	weep holes (9mm high all round in tank walls			
	built in cement mortar (1:4)	18.00	m2	
L	Covering of the weepholes with zinc to			
	prevent short - circuiting	18.00	m2	
	Septic Tank works carried to Summary			
	SUMMARY OF WORKS			
ITEM	DESCRIPTION			AMOUNT
1.00	PRELIMINARIES			0.00
2.00	SUBSTRUCTURE			0.00
3.00	SUPERSTRUCTURE			0.00
4.00	SEPTIC TANK			0.00
	-			
	GRAND TOTAL			0.00

	BILL OF QUANTITIES FOR SANITATION FACILITIES									
	(6Nos COMPARTMENT POUR FLUSH LATRINE) AT GOVT.SEC.SCH DUMNE									
ITEM	DESCRIPTION	QTY UNIT RATE TO							QTY UNIT RATE	TOTAL
	PRELIMINARIES AND GENERAL ITEMS									
A	Intersite Mobilisation and Demobilisation of equipment and personnel		LS							
	SUBSTRUCTURE									
Α	Clearing of Site	35.00	m^2							
В	Excavate trenches, 525mm width and 600mm depth to receive foundations starting from the strip level	0.00	2							
		8.00	m ³							
С	Provide approved antitermite teatment to surfaces of excavation	35.00	m^2							
	CONCRETE WORKS									
A	Strip footing (Plain insitu concrete 1:2:4 mix)	1.00	m^3							
В	Floor slab 150mm thick (Plain in situ concrete 1:2:4 mix, 20mm aggr.)	1.43	m ³							
С	100mm thick slab on corridor (Plain in situ concrete mix (1:2:4 mix, 20mm aggr.)	0.80	m ³							
D	Formwork (Ditto edges of bed not exceeding 150mm high)	17.50	m ²							
	Blockwork									
A	225mm thick sandcrete hollow block fillled with solid weak concrete in foundation	10.55	m ²							

Tender No: NIG_YOL_TEN15 Page 14 of 44



	Substructure works carried to summary				
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SUPERSTRUCTURE				
	Concrete Works				
A	Provide 250mmx50mm thick coping with spikes on top of all exposed walls as approved by the engineer	0.07	m ³		
	External and Internal Wall	0.07			
A	Blockwork 150mm sandcrete block laid in cement and sand (1:4) to wall plate including urinal partitions	34.00	m ²		
	Roofing /Carpentary				
	0.45mm thick long span aluminium roofing sheet laid at 150mm and double nailed to purlin (measured separately)				
A	Roofing (complete with all accessories)	7.20	m ²		
	(Solignum or any other approved treatment solution impregnated swan hardwoood as described)				
В	50 X 75mm Rafters	6.00	m		
С	50 X 50mm Purlins	14.00	m		
D	50 X 100mm wall plate	7.20	m		
Е	225 x 25mm wrought fascia covered with flat				
	pan	11.00	m		
	Doors, Drainage and Plumbing				
A	Supply and fix purpose made 750mm x 1900mm metal door made with 2mm thick steel plate framed with 25mm x 50mm steel pipes painted and installed complete with steel frames, padlocks and keys as in indicated in the drawings	4.00	No		
В	Supply and fix purpose made 800mm x 1900mm metal door made with 2mm thick steel plate framed with 25mm x 50mm steel pipes painted and installed complete with steel frames, padlocks and keys as in indicated in the drawings	4.00	No		

Tender No: NIG_YOL_TEN15 Page 15 of 44



С	Supply and fix purpose made single 900mm x 1600mm see through door made with 25mm x 50mm (2mm gauge) steel pipes and grilled with 25mm square steel pipes as in the drawings on the entrance to the facility painted and installed complete with steel frames, padlocks and keys.				
		2.00	No		
D	Provide and Install inspection chmabers (2-600mm x 600mm and 1-750mm x 750mm) with precast reinforced concrete cover 75mm thick for each of the compactment	4.00	No		
Е	Provide and Install 1250mm x 900mm chambers with precast reinforced concrete cover 75mm thick for septic tank alternating				
_		1.00	No		
F	Provide and Install 2400mm long 100mm diameter PVC vent pipe complete with all accessories on all inspection chambers	4.00	No		
G	Provide approved squat pan completely fixed and connected to drain	4.00	No		
	Sub Total Superstructure Works				
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	b/f				0.00
Н	Provide and install completely approved wash hand basin embedded in block work and 1 water tap in front as indicated in the drawing	2.00	NIa		
I	Allow for the provison of purpose made concrete drain finished with vitrified tiles and partitioned at intervals as urinal, running from under the washing to the soak pit as indicated in the drawing	2.00	No		
	Physically Challenged Aids	2.00	No		
A	Provide and install aproved WC for				
11	physically challenged as in the drawing	2.00	No		
В	Provide and install 25mm GI pipe as hand support rails cast monolithically with the floors slab, braced and supported as indivcated the drawing.	4.00	No		
С	Provide 1:5 sloping ramp on the main entrance to the facility and on the entrance to the physically challenged compartment (6No)	0.81	m^3		
	Floor and Wall finishing	0.01			
A	300x300x9mm thick white colour floor tiles laid in cement and sand screeded bed (1:4)	4.20	m ²		

Tender No: NIG_YOL_TEN15



В	12mm in situ finishing in cement and sand				
D	internal and external wall rendering for walls				
	internal and external wan rendering for wans	70.00	2		
С	Fixing of Sanitary tiles (white colour) 250mm	70.00	m2		
	x400mm on toilet walls (1200mm from the				
	floor)	14.00	2		
D	Supply and fix approved white colour	14.00	m2		
D	vitrified tiles on urinal walls and partitions				
	(up to 150mm top of parttion wall)	<i>(</i> 5 0	2		
		6.50	m2		
A	Painting Program and somely applicant point (colour to				
A	Prepare and supply emulsion paint (colour to be approved by the Engineer) on all internal				
	walls				
	wans	20.00	m2		
В	Sandblasting (on all externall walls leaving				
	out the areas for art work) as specified in the				
	or directed by the Engineer	24.00	m2		
C	Metal burglary door and other metal work (3				
	coats anti-rust finished with approved color				
	as directed by Engineer		LS		
D	Art work		LS		
	Accessories				
A	Provision of bucket for the toilet (minimum				
A	Provision of bucket for the toilet (minimum of 7 litres)	6.00	No		
	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet	6.00	No No		
A	Provision of bucket for the toilet (minimum of 7 litres)				
A	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet			RATE	AMOUNT
A B	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary	6.00	No	RATE	AMOUNT
A B	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm	6.00	No	RATE	AMOUNT
A B ITEM	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x2050mm)	6.00	No	RATE	AMOUNT
A B	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x2050mm) Exacavtion of pit size 5400mmx 4125mm x	6.00 QTY	No	RATE	AMOUNT
A B ITEM	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm	6.00	No	RATE	AMOUNT
A B ITEM	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix,	6.00 QTY 41.00	No UNIT m3	RATE	AMOUNT
A B ITEM A B	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base	6.00 QTY	No UNIT	RATE	AMOUNT
A B ITEM	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix	6.00 QTY 41.00 4.10	Mo UNIT m3	RATE	AMOUNT
A B ITEM A B C	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base	6.00 QTY 41.00	No UNIT m3	RATE	AMOUNT
A B ITEM A B	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base	6.00 QTY 41.00 4.10	Mo UNIT m3	RATE	AMOUNT
A B ITEM A B C	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and	6.00 QTY 41.00 4.10 0.09	Mo UNIT m3	RATE	AMOUNT
A B ITEM A B C D	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork	6.00 QTY 41.00 4.10	Mo UNIT m3	RATE	AMOUNT
A B ITEM A B C	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork	6.00 QTY 41.00 4.10 0.09	Mo UNIT m3 m3	RATE	AMOUNT
A B ITEM A B C D	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork 100mm thick cover slab (reinforced in situ concrete 1:2:4 mix, 19mm aggregate and	6.00 QTY 41.00 4.10 0.09	m3 m3 m3	RATE	AMOUNT
A B ITEM A B C D	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork)	6.00 QTY 41.00 4.10 0.09	Mo UNIT m3 m3	RATE	AMOUNT
A B ITEM A B C D	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork 100mm thick cover slab (reinforced in situ concrete 1:2:4 mix, 19mm aggregate and necessary formwork) 6Nos 600mm x600m x100mm manhole slab	6.00 QTY 41.00 4.10 0.09	m3 m3 m3	RATE	AMOUNT
A B ITEM A B C D	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork 100mm thick cover slab (reinforced in situ concrete 1:2:4 mix, 19mm aggregate and necessary formwork) 6Nos 600mm x600m x100mm manhole slab (reinforced precast concrete 1:2:4 mix, 19mm	6.00 QTY 41.00 4.10 0.09	m3 m3 m3	RATE	AMOUNT
A B ITEM A B C D	Provision of bucket for the toilet (minimum of 7 litres) Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork 100mm thick cover slab (reinforced in situ concrete 1:2:4 mix, 19mm aggregate and necessary formwork) 6Nos 600mm x600m x100mm manhole slab	6.00 QTY 41.00 4.10 0.09	m3 m3 m3	RATE	AMOUNT

Tender No: NIG_YOL_TEN15 Page 17 of 44



G	225mm sandcrete solid block filled with			
	weak concrete in tank walls including partitions built in cement mortar (1:4)	25.20		
**	*	35.20	m2	
Н	25mm thick cement and sand (1:4) render on			
	block walls	35.20	m2	
I	Plumbing works including all accessories as			
	detailed in the drawing		LS	
J	Backfill pebbles/broken blocks around and			
	inside the pit	30.00	m3	
K	225mm thick hollow sancrete block with			
	weep holes (9mm high all round in tank walls			
	built in cement mortar (1:4)	18.00	m2	
L	Covering of the weepholes with zinc to			
	prevent short - circuiting	18.00	m2	
	Septic Tank works carried to Summary			
	SUMMARY OF WORKS			
ITEM	DESCRIPTION			AMOUNT
1.00	PRELIMINARIES			0.00
				0.00
2.00	SUBSTRUCTURE			0.00
3.00	SUPERSTRUCTURE			0.00
4.00	SEPTIC TANK			0.00
	GRAND TOTAL			0.00

	BILL OF QUANTITIES FOR SANITATION FACILITIES							
(4	(4Nos COMPARTMENT POUR FLUSH LATRINE) AT DUMNE HEALTH CENTRE							
ITEM	DESCRIPTION	QTY UNIT RATE TOTAL						
	PRELIMINARIES AND GENERAL ITEMS							
A	Intersite Mobilisation and Demobilisation of equipment and personnel		LS					
	SUBSTRUCTURE							
Α	Clearing of Site	25.00	m ²					
В	Excavate trenches, 525mm width and 600mm depth to receive foundations starting from the							
	strip level	6.00	m ³					
С	Provide approved antitermite teatment to surfaces of excavation	25.00	m^2					
	CONCRETE WORKS							
A	Strip footing (Plain insitu concrete 1:2:4 mix)	1.00	m ³					
В	Floor slab 150mm thick (Plain in situ concrete 1:2:4 mix, 20mm aggr.)	1.43	m ³					

Tender No: NIG_YOL_TEN15 Page 18 of 44



С	100mm thick slab on corridor (Plain in situ concrete mix (1:2:4 mix, 20mm aggr.)	0.80	m^3		
D	Formwork (Ditto edges of bed not exceeding	0.80	111		
	150mm high)	17.50	m ²		
	Blockwork				
A	225mm thick sandcrete hollow block fillled with solid weak concrete in foundation	10.55	m^2		
	Substructure works carried to summary				
ITEM	DESCRIPTION	OTY	UNIT	RATE	AMOUNT
	SUPERSTRUCTURE	V			121/20 01/2
	Concrete Works				
A	Provide 250mmx50mm thick coping with				
	spikes on top of all exposed walls as				
	approved by the engineer	0.07	m^3		
	External and Internal Wall				
A	Blockwork 150mm sandcrete block laid in				
	cement and sand (1:4) to wall plate including				
	urinal partitions	34.00	m^2		
	Roofing /Carpentary				
	0.45mm thick long span aluminium roofing				
	sheet laid at 150mm and double nailed to				
	purlin (measured separately)				
A	Roofing (complete with all accessories)	7.20	m^2		
	(Solignum or any other approved treatment				
	solution impregnated swan hardwood as described)				
В	50 X 75mm Rafters	6.00	m		
C	50 X 50mm Purlins	14.00	m		
D	50 X 100mm wall plate	7.20	m		
E	225 x 25mm wrought fascia covered with flat				
	pan	11.00	m		
	Doors, Drainage and Plumbing				
A	Supply and fix purpose made 750mm x				
	1900mm metal door made with 2mm thick				
	steel plate framed with 25mm x 50mm steel				
	pipes painted and installed complete with				
	steel frames, padlocks and keys as in				
	indicated in the drawings	4.00	No		
В	Supply and fix purpose made 800mm x				
	1900mm metal door made with 2mm thick				
	steel plate framed with 25mm x 50mm steel				
	pipes painted and installed complete with				
	steel frames, padlocks and keys as in indicated in the drawings				
	moreated in the drawings	4.00	No		

Tender No: NIG_YOL_TEN15



С	Supply and fix purpose made single 900mm x 1600mm see through door made with 25mm x 50mm (2mm gauge) steel pipes and grilled with 25mm square steel pipes as in the drawings on the entrance to the facility painted and installed complete with steel frames, padlocks and keys.				
		2.00	No		
D	Provide and Install inspection chambers (2-600mm x 600mm and 1-750mm x 750mm) with precast reinforced concrete cover 75mm thick for each of the compartment	4.00	No		
Е	Provide and Install 1250mm x 900mm chambers with precast reinforced concrete cover 75mm thick for septic tank alternating				
		1.00	No		
F	Provide and Install 2400mm long 100mm diameter PVC vent pipe complete with all accessories on all inspection chambers	4.00	No		
G	Provide approved squat pan completely fixed and connected to drain	4.00	No		
	Sub Total Superstructure Works				
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
**	b/f				
Н	Provide and install completely approved wash hand basin embedded in block work and 1 water tap in front as indicated in the drawing	2.00	No		
I	Allow for the provison of purpose made concrete drain finished with vitrified tiles and partitioned at intervals as urinal, running from under the washing to the soak pit as indicated in the drawing	2.00	No		
	Physically Challenged Aids	2.00	110		
A	Provide and install aproved WC for				
	physically challenged as in the drawing	2.00	No		
В	Provide and install 25mm GI pipe as hand support rails cast monolithically with the floors slab, braced and supported as indivcated the drawing.	2.00	No		
С	Provide 1:5 sloping ramp on the main entrance to the facility and on the entrance to the physically challenged compartment (4No)				
		0.81	m ³		
	Floor and Wall finishing 300x300x9mm thick white colour floor tiles				
A	laid in cement and sand screeded bed (1:4)	4.20	m^2		

Tender No: NIG_YOL_TEN15



В	12mm in situ finishing in cement and sand				
Б	internal and external wall rendering for walls				
	internal and external wan rendering for wans	70.00	2		
С	Fixing of Sanitary tiles (white colour) 250mm	70.00	m2		
	x400mm on toilet walls (1200mm from the				
	floor)	14.00	2		
D	Supply and fix approved white colour	14.00	m2		
D	vitrified tiles on urinal walls and partitions				
	(up to 150mm top of parttion wall)	<i>c.</i> 7 0			
		6.50	m2		
	Painting				
Α	Prepare and supply emulsion paint (colour to				
	be approved by the Engineer) on all internall walls				
	walls	20.00	m2		
В	Sandblasting (on all externall walls leaving				
	out the areas for art work) as specified in the				
	or directed by the Engineer	24.00	m2		
С	Metal burglary door and other metal work (3				
	coats anti-rust finished with approved color				
	as directed by Engineer		LS		
D	Art work		LS		
	Accessories				
A	Provision of bucket for the toilet (minimum				
	of 7 litres)	2.00	NIa		
	of / fittes)	3.00	No		
В	Provision of Kettle for the toilet	3.00	No		
В	,		+		
B ITEM	Provision of Kettle for the toilet	3.00	No	RATE	AMOUNT
	Provision of Kettle for the toilet Superstructure works carried to summary		+	RATE	AMOUNT
	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION	3.00	No	RATE	AMOUNT
	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK	3.00	No	RATE	AMOUNT
	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm	3.00	No	RATE	AMOUNT
ITEM	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x2050mm)	3.00	No	RATE	AMOUNT
ITEM	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x	3.00 QTY	No UNIT	RATE	AMOUNT
ITEM A	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm	3.00 QTY	No UNIT	RATE	AMOUNT
ITEM A	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix,	3.00 QTY 41.00	No UNIT m3	RATE	AMOUNT
A B	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base	3.00 QTY 41.00	No UNIT m3	RATE	AMOUNT
A B	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix	3.00 QTY 41.00 4.10	No UNIT m3 m3	RATE	AMOUNT
A B C	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base	3.00 QTY 41.00 4.10	No UNIT m3 m3	RATE	AMOUNT
A B C	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ	3.00 QTY 41.00 4.10	No UNIT m3 m3	RATE	AMOUNT
A B C	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and	3.00 QTY 41.00 4.10 0.09	MO UNIT m3 m3	RATE	AMOUNT
A B C D	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork	3.00 QTY 41.00 4.10 0.09	MO UNIT m3 m3	RATE	AMOUNT
A B C D	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork 100mm thick cover slab (reinforced in situ	3.00 QTY 41.00 4.10 0.09	MO UNIT m3 m3	RATE	AMOUNT
A B C D	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork 100mm thick cover slab (reinforced in situ concrete 1:2:4 mix, 19mm aggregate and	3.00 QTY 41.00 4.10 0.09	m3 m3 m3	RATE	AMOUNT
A B C D	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork 100mm thick cover slab (reinforced in situ concrete 1:2:4 mix, 19mm aggregate and necessary formwork)	3.00 QTY 41.00 4.10 0.09	m3 m3 m3	RATE	AMOUNT
A B C D	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork 100mm thick cover slab (reinforced in situ concrete 1:2:4 mix, 19mm aggregate and necessary formwork) 4Nos 600mm x600m x100mm manhole slab	3.00 QTY 41.00 4.10 0.09	m3 m3 m3	RATE	AMOUNT
A B C D	Provision of Kettle for the toilet Superstructure works carried to summary DESCRIPTION DOUBLE VAULT SEPTIC TANK (Overall dimension 4950mm x 3675mm x 2050mm) Exacavtion of pit size 5400mmx 4125mm x 1825mm 100mm Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 100mm apron base Plain in situ concrete mix (1:2:4 mix, 13mm aggr.) on tank base 225mm thick partition wall (reinforced in situ concrete 1:2:4 mix 19mm aggregate and necessary formwork 100mm thick cover slab (reinforced in situ concrete 1:2:4 mix, 19mm aggregate and necessary formwork) 4Nos 600mm x600m x100mm manhole slab (reinforced precast concrete 1:2:4 mix, 19mm	3.00 QTY 41.00 4.10 0.09	m3 m3 m3	RATE	AMOUNT

Tender No: NIG_YOL_TEN15 Page 21 of 44



G	225mm sandcrete solid block filled with			
	weak concrete in tank walls including			
	partitions built in cement mortar (1:4)	35.20	m2	
Н	25mm thick cement and sand (1:4) render on			
	block walls	35.20	m2	
I	Plumbing works including all accessories as			
	detailed in the drawing		LS	
J	Backfill pebbles/broken blocks around and			
	inside the pit	30.00	m3	
K	225mm thick hollow sancrete block with			
	weep holes (9mm high all round in tank walls			
	built in cement mortar (1:4)	18.00	m2	
L	Covering of the weepholes with zinc to			
	prevent short - circuiting	18.00	m2	
	Septic Tank works carried to Summary			
	SUMMARY OF WORKS			
TOTAL A	DESCRIPTION			1250712
ITEM	DESCRIPTION			AMOUNT
1.00	PRELIMINARIES			0.00
2.00	SUBSTRUCTURE			0.00
3.00	SUPERSTRUCTURE			0.00
4.00	SEPTIC TANK			0.00
	GRAND TOTAL			0.00

	BILL OF QUANTITIES FOR SANITA	TION FA	CILITIES		
(4N	Nos COMPARTMENT POUR FLUSH LATI	E PRI.SCH.	DUMNE		
ITEM	DESCRIPTION	QTY	UNIT	RATE	TOTAL
	PRELIMINARIES AND GENERAL ITEM	MS			
A	Intersite Mobilisation and Demobilisation of		LS		
	equipment and personnel				
	SUBSTRUCTURE				
A	Clearing of Site	25.00	m^2		
В	Excavate trenches, 525mm width and	6.00	m^3		
	600mm depth to receive foundations				
	starting from the strip level				
C	Provide approved antitermite teatment to	25.00	m^2		
	surfaces of excavation				
	CONCRETE WORKS				
A	Strip footing (Plain insitu concrete 1:2:4	1.00	m^3		
	mix)				
В	Floor slab 150mm thick (Plain in situ	1.43	m^3		
	concrete 1:2:4 mix, 20mm aggr.)				
C	100mm thick slab on corridor (Plain in situ	0.80	m^3		
	concrete mix (1:2:4 mix, 20mm aggr.)				
D	Formwork (Ditto edges of bed not	17.50	m^2		
	exceeding 150mm high)				

Tender No: NIG_YOL_TEN15 Page 22 of 44



			, ,	1	
	Blockwork				
A	225mm thick sandcrete hollow block fillled	10.55	m^2		
	with solid weak concrete in foundation				
	Substructure works carried to summary				
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SUPERSTRUCTURE				
	Concrete Works				
A	Provide 250mmx50mm thick coping with	0.07	m ³		
	spikes on top of all exposed walls as				
	approved by the engineer				
	External and Internal Wall				
A	Blockwork 150mm sandcrete block laid in	34.00	m ²		
	cement and sand (1:4) to wall plate				
	including urinal partitions				
	Roofing /Carpentary				
	0.45mm thick long span aluminium roofing sl	neet laid at	150mm an	d double naile	d to purlin
	(measured separately)		411		- F
	* **	7.20	2	1	
A	Roofing (complete with all accessories)	7.20	m^2	1 1	7
	(Solignum or any other approved treatment s described)	solution in	ıpregnated	swan hardwo	ood as
В	50 X 75mm Rafters	6.00	m		
С	50 X 50mm Purlins	14.00	m		
D	50 X 100mm wall plate	7.20	m		
E	225 x 25mm wrought fascia covered with	11.00	m		
_	flat pan				
	Doors, Drainage and Plumbing				
A	Supply and fix purpose made 750mm x	4.00	No		
	1900mm metal door made with 2mm thick				
	steel plate framed with 25mm x 50mm steel				
	pipes painted and installed complete with				
	steel frames, padlocks and keys as in				
	indicated in the drawings				
В	Supply and fix purpose made 800mm x	4.00	No		
	1900mm metal door made with 2mm thick				
	steel plate framed with 25mm x 50mm steel				
	pipes painted and installed complete with				
	steel frames, padlocks and keys as in				
	indicated in the drawings				
C	Supply and fix purpose made single 900mm	2.00	No	\exists	
	x 1600mm see through door made with				
	25mm x 50mm (2mm gauge) steel pipes				
	and grilled with 25mm square steel pipes as				
	in the drawings on the entrance to the				
	facility painted and installed complete with				
	steel frames, padlocks and keys.				
D	Provide and Install inspection chmabers (2-	4.00	No		
	600mm x 600mm and 1-750mm x 750mm)				

Tender No: NIG_YOL_TEN15



	'.1				
	with precast reinforced concrete cover				
	75mm thick for each of the compactment				
Е	Provide and Install 1250mm x 900mm	1.00	No		
	chambers with precast reinforced concrete				
	cover 75mm thick for septic tank				
	alternating				
F	Provide and Install 2400mm long 100mm	4.00	No		
	diameter PVC vent pipe complete with all				
	accessories on all inspection chambers				
G	Provide approved squat pan completely	4.00	No		
	fixed and connected to drain				
	Sub Total Superstructure Works				
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1115141	b/f	QII	OIVII	KATE	0.00
Н		2.00	No		0.00
п	Provide and install completely approved wash hand basin embedded in block work	2.00	NO		
	and 1 water tap in front as indicated in the				
т	drawing	2.00	NT.		
I	Allow for the provison of purpose made	2.00	No		
	concrete drain finished with vitrified tiles				
	and partitioned at intervals as urinal,				
	running from under the washing to the soak				
	pit as indicated in the drawing				
	Physically Challenged Aids				
A	Provide and install aproved WC for	2.00	No		
	physically challenged as in the drawing				
В	Provide and install 25mm GI pipe as hand	2.00	No		
	support rails cast monolithically with the				
	floors slab, braced and supported as				
	indivcated the drawing.				
C	Provide 1:5 sloping ramp on the main	0.81	m^3		
	entrance to the facility and on the entrance				
	to the physically challenged compartment				
	(4No)				
	Floor and Wall finishing				
A	300x300x9mm thick white colour floor tiles	4.20	m^2		
	laid in cement and sand screeded bed (1:4)				
В	12mm in situ finishing in cement and sand	70.00	m2	T	
	internal and external wall rendering for				
	walls				
С	Fixing of Sanitary tiles (white colour)	14.00	m2		
	250mm x400mm on toilet walls (1200mm				
	from the floor)				
D	Supply and fix approved white colour	6.50	m2		
	vitrified tiles on urinal walls and partitions	- :- *			
	(up to 150mm top of parttion wall)				
	Painting				
			1		

Tender No: NIG_YOL_TEN15 Page 24 of 44



A	Prepare and supply emulsion paint (colour	20.00	m2		
Λ	to be approved by the Engineer) on all	20.00	1112		
	internall walls				
В	Sandblasting (on all externall walls leaving	24.00	m2		
	out the areas for art work) as specified in				
	the or directed by the Engineer				
C	Metal burglary door and other metal work (3		LS		
	anti-rust finished with approved color as direc	cted by			
	Engineer	T.	* a		
D	Art work		LS		
A	Accessories	2.00	NT		
A	Provision of bucket for the toilet (minimum of 7 litres)	3.00	No		
В	Provision of Kettle for the toilet	3.00	No		
	Superstructure works carried to summary				
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	DOUBLE VAULT SEPTIC TANK (Overal	ll dimension	n 4950mm	x 3675mm x2	050mm)
A	Exacavtion of pit size 5400mmx 4125mm x	41.00	m3		
	1825mm				
В	100mm Plain in situ concrete mix (1:2:4	4.10	m3		
	mix, 13mm aggr.) on tank base				
C	100mm apron base Plain in situ concrete	0.09	m3		
-	mix (1:2:4 mix, 13mm aggr.) on tank base	2.20	2		
D	225mm thick partition wall (reinforced in	2.20	m3		
	situ concrete 1:2:4 mix 19mm aggregate				
Е	and necessary formwork 100mm thick cover slab (reinforced in situ	1.70	m3		
E	concrete 1:2:4 mix, 19mm aggregate and	1.70	1113		
	necessary formwork)				
F	4Nos 600mm x600m x100mm manhole	0.25	m3		
	slab (reinforced precast concrete 1:2:4 mix,				
	19mm aggregate and necessary formwork)				
G	225mm sandcrete solid block filled with	35.20	m2		
	weak concrete in tank walls including				
	partitions built in cement mortar (1:4)				
Н	25mm thick cement and sand (1:4) render	35.20	m2		
	on block walls				
I	Plumbing works including all accessories as of	detailed in	LS		
	the drawing	20.00	2		
J	Backfill pebbles/broken blocks around and	30.00	m3		
K	inside the pit 225mm thick hollow sancrete block with	18.00	m2		
ı, ı,	weep holes (9mm high all round in tank	10.00	1112		
	walls built in cement mortar (1:4)				
L	Covering of the weepholes with zinc to	18.00	m2		
	prevent short - circuiting				
	Septic Tank works carried to Summary				
	-				

Tender No: NIG_YOL_TEN15 Page 25 of 44



	SUMMARY OF WORKS		
ITEM	DESCRIPTION		AMOUNT
1.00	PRELIMINARIES		0.00
2.00	SUBSTRUCTURE		0.00
3.00	SUPERSTRUCTURE		0.00
4.00	SEPTIC TANK		0.00
	GRAND TOTAL		0.00

Tender No: NIG_YOL_TEN15 Page 26 of 44



6. Sample Contract

This is the anticipated contract. However, if required, additional terms and conditions may be added by Mercy Corps in the final contract.

SIMPLE WORKS CONTRACT

Contract No
THIS CONSTRUCTION Contract entered into as of by and between MERCY
CORPS, a State of Washington, U.S.A. nonprofit corporation having its principal office in Portland,
Oregon, U.S.A. ("Mercy Corps"), and ("Contractor") is as follows:
1. Contractor's Work.
a. Contractor will [Insert description of work. For example: Contractor will construct
a drainage ditch at XYZ location, completing the work by
stated above are referred to as the "Work".
b. Contractor is responsible for obtaining all necessary permits, for all expenses incurred by it in performing under this Contract and all taxes, duties, permit fees and other governmental charges regarding the work.
c. Contractor will strictly comply with all of the specifications and requirements set for in the contract documents, which include the following documents and appendices (collectively the "Specifications"): [list all documents that include design specifications, minimum requirement, BoQs, etc].
d. Contractor will comply with each of the attached Donor Terms in Schedule I.
2. Timing. Contract must complete the Work by XXX.
3. Price. In exchange for Contractors satisfactory delivery of the fully completed Work, Mercy Corps will pay Contractor the firm and fixed price of XXX [state amount and currency].
4. Inspection and Acceptance.
a. Mercy Corps and Owner (if applicable) will have access to the site of the Work and
the right to inspect the Work at all times. If at any time an inspection by Mercy Corps

Tender No: NIG_YOL_TEN15 Page 27 of 44

or owner determines that Contractor or its subcontractors are in breach of any provision



in this Contractor including any failure to adhere to the Specifications, Mercy Corps will use its best efforts to timely report such breach to contractor. No inspection by Mercy Corps will relieve Contractor from its obligation to complete the Work in strict adherence with this Contract and its Specifications or waive any right or remedy that Mercy Corps has against Contractor as a result of the breach.

- b. Mercy Corps will use its best efforts conduct a final inspection of the work with Contractor.
- 5. Invoicing and Payment. Contractor will submit an invoice to Mercy Corps for payment on [list the invoicing schedule here For example: Mercy Corps will pay Contractor \$__ within __ days after the work is completed to Mercy Corps' satisfaction.]. Invoices must contain [list the contents that must be included in all invoices]. Mercy Corps will make payment within xxx days of receipt of receipt, with payment made via xxx and delivered to the following xxx [list person, place and/or bank account details here]. If Mercy Corps disputes any portion of the invoice due to Contractor's breach of this Contract or failure to deliver the Work in accordance with the Specifications, Mercy Corps will notify Contractor in writing of such dispute and may pay only the portion of the invoice not in dispute and withhold payment of the disputed amount until the breach is corrected.
- 6. **Change Orders**. The Work may be changed only be by written change order signed by both parties.
- 7. **Termination.** Mercy Corps may terminate this Contract for its convenience by providing Contractor with written notice of such termination. If Mercy Corps terminates for its convenience, Mercy Corps will pay Contractor reasonable compensation for the work performed to the date of termination. Either party may terminate this contract due to the other Party's breach of any provision of this Contract by providing the other Party with written notice of such breach and 15 days to correct the breach. If Contractor fails to correct the breach within 15 days, upon termination, Mercy Corps will have no obligation to pay Contractor for any partially completed work.
- 8. **Indemnification**. Contractor will indemnify Mercy Corps and the owner of the property and each of their officers, directors, employees, representatives and agents, and hold them harmless from, any and all losses or claims, fines, penalties, government or donor investigations,

Tender No: NIG_YOL_TEN15 Page 28 of 44



including reasonable attorney's fees related thereto, arising out of Contractor's breach of this Contract, or Contractor's its employees, agents or subcontractors negligent acts or omissions or willful misconduct.

- 9. **Independent Contractor**. The parties intend to be independent contractors. Neither party will be deemed an agent or partner of the other party.
- 10. Contractor's Representations and Additional Covenants. Contractor represents and warrants to Mercy Corps and covenants with Mercy Corps as follow and agrees that Owner is a third-party beneficiary of these representations, warranties and covenants:
 - a. Contractor has full rights and authority to enter into and perform its obligations under this Contract. Contractor's performance will not violate any agreement or obligation between Contractor and any third party.
 - b. Contractor has the requisite skills to perform the Work.
 - c. Contractor possesses all governmental and other certifications and licenses necessary to perform its obligations under this Contract.
 - d. Contractor will comply with all applicable law, regulations and rules in the execution and performance of under this Contract.
 - e. (i) Contractor has visited the project site where the Work is to be performed and become familiar with the local conditions (including existing structures) under which the work is to be performed, (ii) the payment terms are reasonable compensation for the work, (iii) the time for performing the work is adequate and reasonable, (iv) Contractor has satisfied itself as to the nature, location, character, quality and quantity of the work and the labor, materials, equipment, goods, supplies, work, services, and other items to be furnished; and (v) contractor understands the Specification will comply with their requirements.
 - f. All materials and equipment furnished under this Contract will be of good quality and new, the Work will be performed in a skilled, high quality, and workmanlike manner, the Work will be free from defects not inherent in the quality required or permitted, and the Work will be performed and completed strictly in accordance with the requirements of this Contract.
 - g. Contractor will keep the project site and surrounding area free from accumulation of waste materials or rubbish caused by operations under this Contract, and will remove such items from the project site upon completion of the Work.

Tender No: NIG_YOL_TEN15 Page 29 of 44



- h. Contractor has not, and will not, engage in transactions with, or provide resources or support to, individuals and organizations associated with terrorism, including those individuals or entities that appear on the Specially Designated Nationals and Blocked Persons List maintained by the U.S. Treasury (http://www.treasury.gov/resource-center/sanctions/SDN-List/Pages/default.aspx) or the United Nations Security designation list (http://www.un.org/sc/committees/1267/aq_sanctions_list.shtml).
- i. Contractor has not and will not offer or give any employee, agent, or representative of Mercy Corps anything of value to secure any business from Mercy Corps or influence such person to alter the terms, conditions, or performance of any contract with or purchase order from Mercy Corps, including but not limited to this Contract.
- j. Contractor will not and has not offered or provided any government official with any bribe in relation to this Contract or the Work.
- k. Contractor does not own, directly or indirectly, any other company that was competing for award of this Contract. Contractor did not seek or obtain confidential information related to the award of this Contract from any Mercy Corps employee, agent or representative. Contractor did not collude or conspire with any other individual or entity to limit competition for the award of this Contract, to set prices being offered or in any other way to interfere with free and open competition.
- Contractor and its subcontractors are not owned in whole or in part, directly or
 indirectly, by any immediate or extended family member of any Mercy Corps
 employee, agent or representative, or, if so owned, Contractor fully disclosed such
 relationship and any potential conflict of interest has been waived, in writing, by Mercy
 Corps.
- m. Contractor has not engaged in, and will not engage in, any of the following conduct:
 (i) trafficking in persons (as defined in the Protocol to Prevent, Suppress, and Punish Trafficking in Persons, especially Women and Children, supplementing the UN Convention against Transnational Organized Crime); (ii) procuring a commercial sex act; or (iii) using forced labor.
- n. Contractor is not the subject or any governmental or donor investigation and has not been debarred or suspended by any government, governmental agency or donor.
- o. Contractor [or supplier] understands that it is subject to Mercy Corps' Child Safeguarding, Prevention of Sexual Exploitation and Abuse of Beneficiaries and Community Members, Anti-Trafficking and Sexual Misconduct policies (available at https://www.mercycorps.org/who-we-are/ethics-policies). Contractor must report any

Tender No: NIG_YOL_TEN15 Page 30 of 44



violation or suspected violation of these policies in relation to the Contractor's activities under this contract to Mercy Corps, which may be done via its Integrity Hotline website (www.mercycorps.org/integrityhotline). Contractor will ensure that it has the capacity to abide by these policies, that its employees and subcontractors understand these policies, and that it communicates to its employees and subcontractors the duty to report. Contractor understands and agrees that a violation of these policies may, in addition to any other remedies available under this Contract or at law, result in suspension or immediate termination of this Contract and may also result in Contractor being deemed ineligible for future contracts with Mercy Corps.

11. Miscellaneous.

- a. This Contract may be amended or modified only by a written document signed by both parties. This Contract constitutes the entire contract between the parties regarding the work.
- b. Sections 8 and 10 will survive the termination of this Contract.

MERCY CORPS	THE CONTRACTOR
Ву:	By:
Name:	Name:
Title:	Title:
FINANCE REVIEW	
By:	-
Name:	-
Title:	

Tender No: NIG_YOL_TEN15 Page 31 of 44



SCHEDULE I

DONOR TERMS

Other Contract Provisions Required by Law or MC's Donor

A: CHILD AND VULNERABLE ADULTS PROTECTION POLICY

Mercy Corps aims to safeguard children/vulnerable adults from abuse, violence, and exploitation in all that we do, in line with Article 19* of United Nations Convention on the Rights of the Child.

Besides economic, social and political problems affecting large numbers of children/vulnerable adults in countries where Mercy Corps works, individuals may be at risk from abuse by adults or other children. This policy concerns maltreatment of a child/vulnerable adult in contact with a Mercy Corps team member. Mercy Corps' policy is to react sensitively to any suspicions or allegations and deal with them appropriately. Any team member who has suspicions of or has witnessed any form of inappropriate behavior as defined in this policy should immediately report it to the Country Director or Regional Program Director as appropriate and the UK HR Director or US HR Services Director.

Any employee who is accused of inappropriate behavior towards a child/vulnerable adult, regardless of whether this is within or outside the work context, will be immediately removed from contact with children/vulnerable adults in the work context while the incident is being investigated.

Any inappropriate behavior towards a child/vulnerable adult, regardless of whether this is within or outside the work context, could constitute gross misconduct and could result in termination of employment. Appropriate action will also be taken against partners and others engaged in our work.

Mercy Corps works in many situations which are inherently abusive to children/vulnerable adults, and in some situations it is unrealistic to intervene on a personal level in the lives of individuals who could be seen as suffering 'abuse' in the widest sense. Such concerns may be addressed more appropriately at a programmatic level. However, Mercy Corps team members may well have a professional duty to act where there are concerns in relation to children/vulnerable adults with whom they are in contact, directly, or indirectly. Their ability to act may be severely limited by circumstances prevailing locally, but concerns must still be raised, and possible action considered.

Values and Principles in working with Children/Vulnerable Adults:

When team members are in contact with children/vulnerable adults, they should:

- At all times treat children/vulnerable adults with respect.
- Regard them positively and value them as individuals who have specific needs and rights and a particular contribution to make.
- Work with them in a spirit of co-operation and partnership based on mutual trust and respect; value their views and take them seriously
- Work with them in ways that enhance their inherent capacities and capabilities, and develop their potential
- Strive to understand them within the context in which they live.

It is important for all team members in contact with children/vulnerable adults to:

Tender No: NIG_YOL_TEN15 Page 32 of 44



- Be aware of situations which may present risks and manage these risks.
- Plan and organize the work and the workplace so as to minimize risks as far as possible.
- Ensure that a culture of openness exists to enable any issues or concerns to be raised and discussed.
- Ensure that a sense of accountability exists between team members so that poor practice or potentially abusive behavior does not go unchallenged.

Team members must be especially aware of potential abusive situations when working with children.

Team members must never:

- Develop physical/sexual relationships with children
- Develop relationships with children which could in any way be deemed exploitative or abusive
- Act in ways that may be abusive or may place a child at risk of abuse.

Team members must avoid actions or behavior that could be construed as poor practice or potentially abusive. For example, they should never:

- Use language, make suggestions, or offer advice, which is inappropriate, offensive or abusive
- Behave physically in a manner toward children which is inappropriate or sexually provocative
- Have a child/child with whom they are working stay overnight at their home unsupervised
- Sleep in the same room or bed as a child with whom they are working
- Do things for children of an intimate personal nature that they can do for themselves
- Condone, or participate in, behavior toward children which is illegal, unsafe, or abusive
- Act in ways intended to shame, humiliate, belittle, or degrade children, or otherwise perpetrate any form of
 emotional abuse discriminate against, show differential treatment, or favor particular children to the exclusion of
 others

B. PREVENTION OF SEXUAL EXPLOITATION AND ABUSE POLICY

All Mercy Corps team members must be aware of and adhere to the Core Principles laid out by the United Nations and INTERACTION in 2002, to which Mercy Corps is committed.

- 1. Sexual activity with children (persons under the age of 18, when not legally married) is prohibited regardless of the age of majority or age of consent locally. Mistaken belief in the age of a child is not a defense.
- 2. Exchange of money, employment, goods or services for sex, including sexual favors or other forms of humiliating, degrading or exploitative behavior is prohibited. This includes an exchange of assistance that is due to beneficiaries. Sexual acts with prostitutes are prohibited at any time during employment with Mercy Corps.
- 3. Sexual relationships between expatriate humanitarian workers and beneficiaries are prohibited since they are based on inherently unequal power dynamics. Such relationships undermine the credibility and integrity of humanitarian aid work.

Tender No: NIG_YOL_TEN15 Page 33 of 44



- 4. Where a humanitarian worker develops concerns or suspicions regarding sexual abuse or exploitation by a fellow worker, whether in the same agency or not, s/he must report such concerns via established agency reporting mechanisms.
- 5. Humanitarian workers are obliged to create and maintain an environment that prevents sexual exploitation and abuse and promotes the implementation of the code of conduct. Managers at all levels have particular responsibility to support and develop systems that maintain this environment.
- 6. Sexual exploitation and abuse by humanitarian workers constitute acts of gross misconduct and are therefore grounds for termination of employment

C: Other USAID Contract Provisions Required by Law

Mercy Corps, in accordance with donor regulations, requires certain certifications and provisions, set forth herein, to be included in all contracts.

- 1. The recipient must not engage in transactions with, or provide resources or support to, individuals and organizations associated with terrorism, including those individuals or entities that appear on the Specially Designated Nationals and Blocked Persons List maintained by the U.S. Treasury (online at: http://www.treasury.gov/resource
 - center/sanctions/SDNList/Pages/default.aspx) or the United Nations Security designation list (online at: http://www.un.org/sc/committees/1267/aq_sanctions_list.shtml).
- 2. Contractor certifies that neither it nor its principals is presently excluded or disqualified from participation in this transaction by any US Government department or agency.
- 3. Contractor certifies that it will not and has not used any funds received directly or indirectly from the U.S. Government to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of U.S. Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining this Contract or any other U.S. government funded project.
- 4. Mercy Corps, USAID, and the Comptroller General of the United States, or any of their duly authorized representatives, shall have access to any books, documents, papers and records of Contractor which are directly pertinent to this Contract for the purpose of making audits, examinations, excerpts and transcriptions.
- 5. The Contractor or its employees, or any Subcontractor or its employees, must not engage in any of the following conduct:

Tender No: NIG_YOL_TEN15 Page 34 of 44



- (i) Trafficking in persons (as defined in the Protocol to Prevent, Suppress, and Punish Trafficking in Persons, especially Women and Children, supplementing the UN Convention against Transnational Organized Crime) during the period of this Contract.
- (ii) Procure a commercial sex act during the period of this Contract.
- (iii) Use forced labor in the performance of the Contract; or
 - (iv) Commit acts that directly support or advance trafficking in persons, including the following acts:
 - a. Destroying, concealing, confiscating, or otherwise denying an employee access to that employee's identity or immigration documents.
 - b. Failing to provide return transportation or pay for return transportation costs to an employee from a country outside the United States to the country from which the employee was recruited upon the end of employment if requested by the employee, unless:
 - exempted from the requirement to provide or pay for such return transportation by Mercy Corps under this award; or
 - the employee is a victim of human trafficking seeking victim services or legal redress in the country of employment or a witness in a human trafficking enforcement action.
 - c. Soliciting a person for the purpose of employment, or offering employment, by means of materially false or fraudulent pretenses, representations, or promises regarding that employment.
 - d. Charging employee's recruitment fees; or
 - e. Providing or arranging housing that fails to meet the host country housing and safety standards.

Contractor agrees to report in a timely manner to Mercy Corps any credible information from any source that alleges the contractor, or any sub-contractor has engaged in any of the prohibited activities identified in this provision.

- 6. The Contractor must inform its employees working under this contract in the predominant native language of the workforce that they are afforded the employee whistleblower rights and protections provided under 41 U.S.C. § 4712; and
- Contractor must disclose, in a timely manner, in writing to the USAID Office of Inspector General and Mercy Corps
 all violations of US government criminal law involving fraud, bribery or gratuity violations potentially affecting this
 Contract.

Disclosures to USAID must be sent to:

U.S. Agency for International Development

Office of the Inspector General

P.O. Box 657

Washington, DC 200044-0657

Tender No: NIG_YOL_TEN15 Page 35 of 44



Phone: 1-800-230-6539 or 202-712-1023

Email: ig.hotline@usaid.gov

URL: https://oig.usaid.gov/content/usaid-contractor-reporting-form

8. The Contractor agrees to incorporate the terms of "Annex C" word-for-word in all of its sub-contracts funded under this Contract, if any.

9. Department of State Annex C [For Contracts to Be Performed Outside of the U.S.]

D: Reporting of currency and cash-based transaction required under Nigerian laws.

- 1. The special control unit against money laundering (SCUML) as well as Federal Ministry of Industry, trade and investment, in line with the provision of the "Money Laundering (Prohibition) Act (TPA)" 2011 (as amended) and Federal Ministry of Industry, Trade and Investment (designation of Non-Financial institutions) 2013 and 2016 respectively, requires designated non-financial institutions to report all currency transactions of N5,000,000 and above, in case of an individual or N10,000,000 and above, in the case of a body corporate within seven (7) days from the date of transaction.
- 2. The laws also require designated non-financial institutions to report all cash-based transactions in excess of \$1,000 or its equivalent within seven (7) days to SCUML through its online platform.
- **3.** Accordingly, Mercy Corps, being a registered and designated non-financial institution, incompliance with above requirements in clause a and b of this document is obliged to report all transaction to SCUML.
- **4.** By signing this document, the vendor/contractor/service provider unconditionally allows Mercy Corps to share necessary data and documents with SCUML and the "Economic and Financial Crimes Commission (EFCC).
- 5. Vendor/contractor/service provider also agrees to allow SCUML and EFCC the unconditional access to his bank account(s), account books and daily ledger with regard to the amount paid against this contract.

Tender No: NIG_YOL_TEN15 Page 36 of 44



7. Attachments to the Tender Package



The information provided will be used to evaluate the Company before contracting with the Mercy Corps.

Please complete all fields.

Supplier Information

Company Name	
Any other names	
company is	
operating under	
(Acronyms,	
Abbreviations,	
Aliases)	
Previous names	
of the company	
Address	
Website	
Phone/Fax	Phone: Fax:
Numbers	2 461
	Name:
Primary Contact	Phone Number:
	Email Address:
# of Staff	
# of Locations	
Avg. Value of	
Stock on Hand	
(USD)	

Tender No: NIG_YOL_TEN15 Page 37 of 44



	Government -	
	owned (yes/no)	
	Name(s) of	
	Board of	
	Directors	
	Name(s) of	
	Company	
	Owner(s)	
	Parent	
	companies, if	
	any	
	Subsidiary or	
	affiliate	
	companies, if	
	any	
<u>Finan</u>	cial Information	
	Bank Name and	
	Address	
	Name under	
	which company	
	is registered at	
	bank	
	Payment Terms	Payment By: Check Yes No Wire Transfer Yes No
	Specify Standard	

Product/Service Information

Payment Terms

(Net15, 30, etc.)

Tender No: NIG_YOL_TEN15 Page 38 of 44



List Range of	
Products/Service	
s Offered	
Basis For Pricing	
(Catalog, List,	
etc.)	

References

Client Name:	Contact Name, Phone, Email Address:
Client Name:	Contact Name, Phone, Email Address:
Client Name:	Contact Name, Phone, Email Address:

Supplier Self-Certification of Eligibility

Company certifies that:

- 1. It, its affiliates and subsidiaries, owners, officers, directors and key employees (to the best of its knowledge) are not the subject of any government's sanctions, designations, donor rules or prohibitions, or laws prohibiting transactions with it/them. It is not the subject of any donor government investigation into its misconduct with any other recipient of that donors funding.
- 2. It, its affiliates and subsidiaries, owners, officers, directors and key employees have not and do not engage in any form of terrorism or attacks on civilians and do not provide any form of material support or financial resources for individuals or organizations that do engage in any form of terrorism or deliberate attacks on civilians.
- 3. It, its affiliates and subsidiaries, owners, officers, directors and key employees have not and do not engage in weapons or drugs manufacture, transport, sale or distribution.
- 4. It is not in default on any material credit agreement, bankrupt or being wound up, are having its affairs administered by the courts, have entered into arrangements with creditors, have suspended business activities, are the subject of proceedings concerning those matters, or are in any analogous situation arising from a similar procedure provided for in national legislation or regulations.
- 5. It is has not been determined to be in breach of a material contract by any legal body anytime within the past 2 years.

Tender No: NIG_YOL_TEN15 Page 39 of 44



- 6. It pays taxes as and when due and is not currently the subject of any investigation or proceeding related to back-owed taxes.
- 7. It provides workers compensation insurance to its workers in accordance with the laws of the countries where it operates.
- 8. It pays social security obligations as required in the countries where it operates.
- 9. It, its owners, officers and directors have not been convicted of an offense concerning its professional conduct and has not engaged in grave professional misconduct.
- 10. It, its affiliates and subsidiaries, owners, officers, directors and key employees have not been the subject of criminal investigation or judgement for fraud, corruption, human trafficking, spying, weapons transport or smuggling, sexual exploitation or abuse, internal sexual misconduct, abuse or exploitation of children, involvement in a criminal organization or any other criminal activity.
- 11. It treats its employees with dignity and respect and maintains social operating standards, including: working conditions and social rights; avoidance of child labor, bondage, forced labor, human trafficking or exploitation; assurance of safe and reasonable working conditions; freedom of association; freedom from harassment (including sexual harassment), exploitation, abuse, bullying and discrimination; protection of basic social rights of its employees and Mercy Corps beneficiaries.
- 12. To the best of its knowledge, no Mercy Corps employee, officer, consultant or other party related to Mercy Corps has a financial interest in the Company's business activities, nor is any Mercy Corps employee related to any owner, officer, director or employee of the company, and, if so, it will ensure that the relationship is disclosed to Mercy Corps and will not used for improper influence. Discovery of an undisclosed Conflict of Interest will result in immediate revocation of the Company's Authorized Supplier status and disqualification of Company from participation in future Mercy Corps procurement.
- 13. It understands that attempting to or agreeing to provide anything of value to any Mercy Corps employee, agent or representative for the purpose of encouraging that person to award Company a contract or take or not take any action related to any contract will result in immediate termination of any agreement. Company certifies that it does not engage in such conduct..
- 14. It understands that Mercy Corps seeks fair and open competition and the fairest price available and that any attempt by company to subvert fair and open competition, including working with other bidders to fix prices, working to exclude competition, seeking confidential information from Mercy Corps or other bidders, using multiple related or controlled companies to give the appearance of competition, or any

Tender No: NIG YOL TEN15 Page 40 of 44



similar activity, will result in termination of any agreement. Company certifies that it does not engage in such conduct.

- 15. It understands that Mercy Corps prohibits any of its partners or suppliers from bribing public officials and certifies that it does not do so.
- 16. It is not conducting business under other names or aliases that have not been declared to Mercy Corps. If the Company cannot certify to any of the above it should explain why not. Mercy Corps may take the individual circumstances into account for some situations. However, any false certification could be grounds for immediate disqualification and termination of any future agreement.

By signing the Supplier Information Form you certify that your Company is eligible to supply goods and services to major donor funded organizations and that all of the above statements are accurate and factual.

Company Name:	
Name of Representative:	
Title:	
Signature:	
Date:	

Tender No: NIG_YOL_TEN15 Page 41 of 44



FOR MERCY CORPS USE ONLY

Documents

Following documents have been provided

	A copy of business registration document (CAC)
	A copy of tax certificate and/or Tax Clearance
	A copy of signed and stamped offer sheet
	Provide Organizational Profile, showing <u>relevant</u> experience in
	construction since inception of business operations.
	Verifiable evidence of relevant projects successfully executed which
	include letter of award, copy of contract for similar works delivered (letter
	of award, contract documents, Purchase Orders, certificate of completion
	etc) not more than 5 years
	Completion time of the project with detailed work plan.
	Financial capacity to carry out the contract if successfully selected
	Letter stating acceptance of Mercy Corps payment terms of 100% payment
	after completion of project.
	Verifiable evidence of experience and relevant qualification of key
	personnel
ļ	
	an employee of Mercy Corps having completed and reviewed this for
nfir	m the accuracy of information provided:
ame	
tle	
gnat	ure
ate*	

Tender No: NIG_YOL_TEN15 Page 42 of 44



*Supplier to be re-author	orized one year from	this date.

Price Offer Sheet



		Unit of	Unit	
Item Description	Quantity	Measure	Price	Total Price
Construction of 6 Compartments pour flush toilet at				
Government Secondary and Primary School Dumne1 and				
Government Day Secondary School Dumne, Song LGA of	2	Unit		
Adamawa State.	2	Omt		
Construction of 4 Compartments pour flush toilet at				
ZaDumne Primary School Dumne and Primary Health	2	Unit		
Centre Dumne, Song LGA of Adamawa State	_			
As Per Attached BOQ				
Total before tax:				
VAT (if applicable)				
Total:				
Company Name:				
Name of Representative:				

Tender No: NIG_YOL_TEN15 Page 43 of 44



Title:	
Signature:	
Date:	
Tender #: NIG/YOL/TEN15	

Tender No: NIG_YOL_TEN15 Page 44 of 44